

888.635.2080 | newenglandlab.com

Baltimore • Boston • Raleigh • Richmond

GETINGEGETINGE GROUP

633HC STEAM STERILIZERS



MAKING EVERY SQUARE FOOT COUNT

With the ever-increasing demands being placed on today's surgical workplaces, space limitations often provide the greatest challenge to improve patient throughput. That's why GETINGE designed the 633HC Vacuum/Gravity Steam Sterilizer to hold up to twice as many standard instrument trays than other similarly-sized units, to double the throughput in the same amount of space.

As a result, 633HC Steam Sterilizers are the ideal replacement unit for OR renovation projects where space is at a premium. The unit is also optimized for ambulatory surgical centers and the larger instrument sets required for orthopedic surgeries.

Getinge USA Inc. 1777 East Henrietta Road Rochester, NY 14623-3133 U.S.A

Phone: (800) 475-9040
Fax: (800) 272-5033
info@getingeusa.com
www.getingeusa.com

633HC STEAM STERILIZERS

STANDARD DIMENSIONS:

26.5" wide x 26.5" high

CHAMBER LENGTHS:

The 633HC Sterilizer is offered in a choice of three chamber lengths:

26" (660 mm) - 10.5 cu. ft. (297L)

39" (1000 mm) - 15.5 cu. ft. (450L)

51" (1300 mm) - 20.7 cu. ft. (586L)

- Single or double doors
- Cabinet mounted or recessed
- Power operated vertical sliding door
- Choice of loading equipment:
- Load Car and transfer carriage
- Interior chamber rack with extended shelves
- Gravity with positive pulse conditioning and pressure/vacuum pulsing for dynamic air removal
- All cycles are sequenced and monitored by the control system, and custom cycle names can be designated for each cycle
- Real-time, continuous display of cycle values and cycle countdown
- Permanently mounted casters for ease of installation and maintenance positioning
- Easy to install and connect; optional seismic anchoring integral to sterilizer frame
- Optional integral steam generators feature electrically generated steam for processing cycles



SPACE SAVING ADVANTAGES

Larger Loads — Similar Chambers

Our 633HC chamber has a larger load capacity compared to competitor's similar-sized chamber load capacities.

Less S	pace -	Similar T	hrough	hput
--------	--------	-----------	--------	------

The 633HC chamber load capacity is competitive to other sterilizers with larger chambers. In addition, our vertical sliding door offers space-saving advantages compared to the competition's hinged doors (which take up precious floor space).

Throughput and Chamber Compar	* Chamber Size (W x H x L), inch ** Instrument Tray Capacity				
GETINGE 633HC		Steris		Belimed	
26.5 x 26.5 x 39*	8**	26 x 26 x 39*	4**	26 x 26 x 39.5*	6**
26.5 x 26.5 x 51*	12**	26 x 26 x 49*	6**	26 x 26 x 51.5*	8**

ch ity	Throughput and Chamber Comparison		* Chamber Size (W x H x L), inch ** Instrument Tray Capacity				
	GETINGE 633HC		Steris		Belimed		
)**	26.5 x 26.5 x 39*	8**	26 x 37.5 x 36*	9**	26 x 42.5 x 41*	9**	
3**	26.5 x 26.5 x 51*	12**	26 x 37.5 x 48*	12**	26 x 42.5 x 55*	12**	